

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 1 / 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Ferrous-(II)-chloride, solution

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Flocculation- and precipitating agent

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

SIDRA WASSERCHEMIE GmbH
Zeppelinstraße 27
49479 Ibbenbüren / GERMANY
Phone (+49) 05459-54-0
Fax (+49) 05459-5454
Homepage www.sidra.de
E-mail info@sidra.de

Address enquiries to

Technical information

info@sidra.de

Safety Data Sheet

sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body

+49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Met. Corr. 1: H290 May be corrosive to metals.
Acute Tox. 4: H302 Harmful if swallowed.
Skin Sens. 1: H317 May cause an allergic skin reaction.
Eye Dam. 1: H318 Causes serious eye damage.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms



Signal word

DANGER

Contains:

Ferrous (II)-chloride

Nickel dichloride

Hazard statements

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves / eye protection / face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER / doctor if you feel unwell.
P302+P352 IF ON SKIN: Wash with plenty of water / soap.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER / doctor.
P501 Dispose of contents/container in accordance with local/national regulation.

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 2 / 15

2.3 Other hazards

Physico-chemical hazards	Corrosive to metals.
Human health dangers	Frequent persistent contact with the skin can cause skin irritation. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Environmental hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other hazards	Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - <= 35	Ferrous (II)-chloride CAS: 7758-94-3, EINECS/ELINCS: 231-843-4, Reg-No.: 01-2119498060-41-XXXX GHS/CLP: Acute Tox. 4: H302 - Eye Dam. 1: H318 - Met. Corr. 1: H290
1 - < 10	Hydrochloric acid CAS: 7647-01-0, EINECS/ELINCS: 231-595-7, EU-INDEX: 017-002-01-X, Reg-No.: 01-2119484862-27-XXXX GHS/CLP: Skin Corr. 1A: H314 - Eye Dam. 1: H318 - STOT SE 3: H335 - Met. Corr. 1: H290 SCL [%]: >=10: STOT SE 3: H335, >=25: Skin Corr. 1B: H314, 10 - <25: Eye Irrit. 2: H319, 10 - <25: Skin Irrit. 2: H315
0.01 - < 0.012	Nickel dichloride CAS: 7718-54-9, EINECS/ELINCS: 231-743-0, EU-INDEX: 028-011-00-6 GHS/CLP: Carc. 1A: H350i - Muta. 2: H341 - Repr. 1B: H360D - Acute Tox. 3: H301 H331 - STOT RE 1: H372 - Skin Irrit. 2: H315 - Resp. Sens. 1: H334 - Skin Sens. 1: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M-Factor (acute): 1, M-Factor (chronic): 1 SCL [%]: >= 0.01: Skin Sens. 1: H317, >= 20: Skin Irrit. 2: H315, 0.1 - <1: STOT RE 2: H373, >= 1: STOT RE 1: H372

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.
Ingestion	Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Get medical advice.

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 3 / 15

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects
Risk of serious damage to eyes.
Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Product itself is non-combustible. Fire extinguishing method of surrounding areas must be considered.
Extinguishing media that must not be used	Full water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:
Hydrogen chloride (HCl).

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Collect contaminated firefighting water separately, must not be discharged into the drains.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Use personal protective equipment (protective gloves, safety glasses, protective clothing).
High risk of slipping due to leakage/spillage of product.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Vacuum up spilled product.
Take up with absorbent material (e.g. acid binder).
Dispose of absorbed material in accordance within the regulations.
Rinse away small amounts with water.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
The normal safety precautions for handling chemicals must be observed.
Avoid contact with eyes and skin. Use personal protective equipment.
The product is not combustible.
Take off contaminated clothing and wash before reuse.
Do not eat, drink, smoke or take drugs at work.
After worktime and before work breaks the affected skin areas must be thoroughly cleaned.
Use barrier skin cream.

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 4 / 15

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Provide acid-resistant floor.

Do not store with alkalis.

Do not store together with metals.

Do not store together with food and animal food/diet.

Keep container in a well-ventilated place.

Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 5 / 15

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance
Hydrochloric acid
CAS: 7647-01-0, EINECS/ELINCS: 231-595-7, EU-INDEX: 017-002-01-X, Reg-No.: 01-2119484862-27-XXXX
Long-term exposure: 1 ppm, 2 mg/m ³ , gas and aerosol mists
Short-term exposure (15-minute): 5 ppm, 8 mg/m ³
Nickel dichloride
CAS: 7718-54-9, EINECS/ELINCS: 231-743-0, EU-INDEX: 028-011-00-6
Long-term exposure: 0,1 mg/m ³ , water-soluble nickel compounds (as Ni), Sk (as Ni) Sk, Carc

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

Substance / EC LIMIT VALUES
Hydrochloric acid
CAS: 7647-01-0, EINECS/ELINCS: 231-595-7, EU-INDEX: 017-002-01-X, Reg-No.: 01-2119484862-27-XXXX
Eight hours: 5 ppm, 8 mg/m ³
Short-term (15-minute): 10 ppm, 15 mg/m ³

DNEL

Substance
Hydrochloric acid, CAS: 7647-01-0
Industrial, inhalative, Long-term - local effects, 8 mg/m ³
Industrial, inhalative, Acute - local effects, 15 mg/m ³
general population, inhalative, Acute - local effects, 15 mg/m ³
general population, inhalative, Long-term - local effects, 8 mg/m ³
Ferrous (II)-chloride, CAS: 7758-94-3
Industrial, inhalative, Long-term - systemic effects, 0.2 mg/m ³
Industrial, dermal, Long-term - systemic effects, 2.8 mg/kg bw/day
general population, oral, Acute - local effects, 20 mg/kg bw/day
general population, oral, Long-term - systemic effects, 0.28 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 1.4 mg/kg bw/day

PNEC

Substance
Hydrochloric acid, CAS: 7647-01-0
sewage treatment plants (STP), 0.036 mg/l
seawater, 0.036 mg/l
freshwater, 0.036 mg/l
Ferrous (II)-chloride, CAS: 7758-94-3
sediment (seawater), 9.03 mg/kg
sediment (freshwater), 18.07 mg/kg
sewage treatment plants (STP), 737 mg/L
seawater, 57 µg/L
freshwater, 114 µg/L

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 6 / 15

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Tightly fitting goggles. (EN 166:2001) safety glasses (EN 166:2001)
Hand protection	0.7 mm; Butyl rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Acid-resistant protective clothing (EN 340)
Other	Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	If workplace limit values are exceeded or if there is insufficient ventilation: Short term: filter apparatus, combination filter E-P2 (DIN EN 14387)
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	dark green
Odor	characteristic
Odour threshold	No information available.
pH-value	< 1
pH-value [1%]	No information available.
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	not applicable
Flammability	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	1.20 - 1.35 (20 °C / 68,0 °F)
Relative density	No information available.
Bulk density [kg/m³]	not applicable
Solubility in water	miscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	not applicable
Kinematic viscosity	No information available.
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	not applicable

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 7 / 15

9.2 Other information

Dynamic viscosity: 20 mPa*s (20 °C).

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with alkalies (lyes).

Reactions with reducing agents.

Reactions with metals, with evolution of hydrogen.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

Corrosive to metals.

10.6 Hazardous decomposition products

Hydrogen chloride (HCl).

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 8 / 15

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product
ATE-mix, oral, 1400 - < 2000 mg/kg
Substance
Nickel dichloride, CAS: 7718-54-9
LD50, oral, Rat, 175 - 500 mg/kg
LD50, oral, Rat, 186 mg/kg (IUCLID)
Ferrous (II)-chloride, CAS: 7758-94-3
LD50, oral, Rat (female), 500 mg/kg bw

Acute dermal toxicity

Product
ATE-mix, dermal, > 2000 mg/kg
Substance
Ferrous (II)-chloride, CAS: 7758-94-3
LD50, dermal, Rat, > 2000 mg/kg bw

Acute inhalational toxicity

Product
ATE-mix, inhalativ (mist), > 5 mg/l 4h
Substance
Hydrochloric acid, CAS: 7647-01-0
LC50, inhalativ (mist), Rat, 8.3 mg/l/30min
LC50, inhalativ (mist), Rat, 45.6 mg/l/5min
LC50, inhalativ (gas), Rat, 4701 ppm/30min
LC50, inhalativ (gas), Rat, 40989 ppm/5min
LC50, inhalative, Rabbit, 4.2 - 4.7 mg/l 1h
Ferrous (II)-chloride, CAS: 7758-94-3
Discriminating conc. 1100 mg/m³, no adverse effect observed

Serious eye damage/irritation

Risk of serious damage to eyes.
Based on the available information, the classification criteria are fulfilled.

Substance
Nickel dichloride, CAS: 7718-54-9
no adverse effect observed
Hydrochloric acid, CAS: 7647-01-0
in vivo, OECD 437, corrosive
Ferrous (II)-chloride, CAS: 7758-94-3
Eye, Rabbit, OECD 405, Can cause irreversible damage to the eyes.

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.
No classification due to substance-specific concentration limits.

Substance

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 9 / 15

Nickel dichloride, CAS: 7718-54-9

adverse effect observed

Hydrochloric acid, CAS: 7647-01-0

Reconstituted human epidermis model, in vitro / ex vivo, OECD 431, corrosive

Ferrous (II)-chloride, CAS: 7758-94-3

dermal, Rabbit, OECD 404, non-irritating

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Based on the available information, the classification criteria are fulfilled.

Classification was carried out based on substance-specific concentration limits.

Substance

Nickel dichloride, CAS: 7718-54-9

dermal, adverse effect observed

inhalative, adverse effect observed

Hydrochloric acid, CAS: 7647-01-0

mouse, in vivo (non-LLNA), OECD 406, non-sensitizing

Ferrous (II)-chloride, CAS: 7758-94-3

dermal, Rat, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

No classification due to substance-specific concentration limits.

Substance

Ferrous (II)-chloride, CAS: 7758-94-3

inhalative, no adverse effect observed

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

Nickel dichloride, CAS: 7718-54-9

NOAEL, oral, 10 mg Ni sulphate hexahydrate/kg bw/day

NOAEC, inhalative, 0.12 mg Ni sulphate hexahydrate/m³ air

LOAEC, inhalative, 0.25 mg Ni sulphate hexahydrate/m³

Hydrochloric acid, CAS: 7647-01-0

NOAEC, inhalative, Rat, 30 mg/m³, OECD 413, negativ

Ferrous (II)-chloride, CAS: 7758-94-3

NOAEL, oral, Rat, 125 mg/kg bw/day, no adverse effect observed

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Nickel dichloride, CAS: 7718-54-9

Chinese hamster, in vitro cytogenicity / chromosome aberration stud, adverse effect observed

Ferrous (II)-chloride, CAS: 7758-94-3

oral, mouse, OECD 476, negativ

in vitro, OECD 471, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Ferrous (II)-chloride, CAS: 7758-94-3

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 10 / 15

NOAEL, oral, Rat, 200 mg/kg bw/d (Effect on developmental toxicity)

NOAEL, oral, Rat, 200 mg/kg bw/d (Effect on fertility), no adverse effect observed

- Development

Substance

Ferrous (II)-chloride, CAS: 7758-94-3

NOAEL, oral, Rat, 200 mg/kg bw/d (Effect on developmental toxicity)

NOAEL, oral, Rat, 200 mg/kg bw/d (Effect on fertility), no adverse effect observed

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Nickel dichloride, CAS: 7718-54-9

NOAEC, oral, 11 mg Ni/kg/d

NOAEC, inhalative, 0.1 mg Ni/m³

Hydrochloric acid, CAS: 7647-01-0

NOAEC, inhalative, Rat, 15 mg/m³, In vivo study, no adverse effect observed

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2 Other information

none

SECTION 12: Ecological information

12.1 Toxicity

Substance

Nickel dichloride, CAS: 7718-54-9

LC50, (96h), Brachidanio rerio, > 100 mg/l (IUCLID)

EC50, (48h), Daphnia magna, 6.68 mg/l (IUCLID)

EC50, (72h), Selenastrum capricornutum, 0.66 mg/l (IUCLID)

NOEC, (96h), Brachidanio rerio, 32 mg/l (IUCLID)

NOEC, (72h), Selenastrum capricornutum, 0.1 mg/l (IUCLID)

NOEC, (48h), Daphnia magna, 1.8 mg/l (IUCLID)

Hydrochloric acid, CAS: 7647-01-0

LC50, fish, 20.5 mg/l

Ferrous (II)-chloride, CAS: 7758-94-3

LC50, (96h), Pimephales promelas, 21.8 mg Fe/L

EC50, (48h), Daphnia magna, 9.6 mg Fe/L

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 11 / 15

12.2 Persistence and degradability

Behaviour in environment compartments

No information available.

Behaviour in sewage plant

The product is used as precipitant and flocculant.

Biological degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

not applicable

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.
For recycling, consult manufacturer.

Waste no. (recommended)

060313*

Contaminated packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150102
150110* packaging containing residues of or contaminated by hazardous substances

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 12 / 15

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID 3264

Inland navigation (ADN) 3264

Marine transport in accordance with IMDG 3264

Air transport in accordance with IATA 3264

14.2 UN proper shipping name

Transport by land according to ADR/RID Corrosive liquid, acidic, inorganic, n.o.s. (Ferric (II) chloride, Hydrochloric acid, solution)

- Classification Code C1

- Label



- ADR LQ 5 I

- ADR 1.1.3.6 (8.6) Transport category (tunnel restriction code) 3 (E)

Inland navigation (ADN) Corrosive liquid, acidic, inorganic, n.o.s. (Ferric (II) chloride, Hydrochloric acid, solution)

- Classification Code C1

- Label



Marine transport in accordance with IMDG Corrosive liquid, acidic, inorganic, n.o.s. (Ferric (II) chloride, Hydrochloric acid, solution)

- EMS F-A, S-B

- Label



- IMDG LQ 5 I

Air transport in accordance with IATA Corrosive liquid, acidic, inorganic, n.o.s. (Ferric (II) chloride, Hydrochloric acid, solution)

- Label



14.3 Transport hazard class(es)

Transport by land according to ADR/RID 8

Inland navigation (ADN) 8

Marine transport in accordance with IMDG 8

Air transport in accordance with IATA 8

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 13 / 15

14.4 Packing group

Transport by land according to ADR/RID III

Inland navigation (ADN) III

Marine transport in accordance with IMDG III

Air transport in accordance with IATA III

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148
- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
- Annex I (REACH)	The product is not subject to Annex I restrictions.
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 75 According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the following restrictions. 3
TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)
NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (2010/75/CE)	0 %

15.2 Chemical safety assessment

not applicable

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 14 / 15

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H317 May cause an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H315 Causes skin irritation.
H372 Causes damage to organs through prolonged or repeated exposure.
H301+H331 Toxic if swallowed or if inhaled.
H360D May damage the unborn child.
H341 Suspected of causing genetic defects.
H350i May cause cancer by inhalation.
H302 Harmful if swallowed.

H290 May be corrosive to metals.
H335 May cause respiratory irritation.
H318 Causes serious eye damage.
H314 Causes severe skin burns and eye damage.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Met. Corr. 1: H290 May be corrosive to metals. (Calculation method)
Acute Tox. 4: H302 Harmful if swallowed. (Calculation method)
Skin Sens. 1: H317 May cause an allergic skin reaction. (Expert judgement)
Eye Dam. 1: H318 Causes serious eye damage. (Calculation method)

SIDRA WASSERCHEMIE GmbH
49479 Ibbenbüren

Date printed 24.11.2023, Revision 24.11.2023

Version 14.0. Supersedes version: 13.0

Page 15 / 15

Modified position

5.3, 15.1

Copyright: Chemiebüro®